Seattle 13 Nov (A. Larson) and Scappoose, Columbia in early Nov (fide H. Horvat) were at least six weeks late. Formerly very rare, Blue Grosbeak has found nearly annually in the Region of late; this season's bird enlivened Cutler City, Lincoln 9 Sep (JG). An Indigo Bunting at Sauk Prairie, Skagit 6 Oct represented only the 7th Washington record for fall (ph. RM); Washington has more than 30 records, with most from Jun-Jul. A late Indigo was at Tillamook 13-14 Nov (CK, PS). Both of the season's Dickcissels were on the Oregon coast, with one at Nestucca Bay N.W.R., Tillamook 10 Sep (D. Demarest, J. Hurt) and another at Cape Blanco 11 Nov+ (TJW, TR). A nearly record-late Bobolink, rare at any season in w. Washington, inhabited Nisqually 19-23 Oct (ST, ph. R. Stoner); there are about 30 fall records and one winter record for w. Washington. Tricolored Blackbirds have appeared sporadically around F.R.R. over the past decade; one was there 4 Aug (RR). Yellow-headed Blackbirds, historically rare on the outer coast, now appear annually in Coos and Curry. Four were at Floras L. 3 Sep (TR), and one was at N.S.C.B. 17 Sep (TR), while another spent all of Nov. at Cape Blanco (TJW). Nine westside Rusty Blackbirds 9 Oct-19 Nov was thrice normal; 8 were in Washington, including Cowlitz's first at Woodland Bottoms 3-12 Nov (DW). A flock of 5000 Brewer's Blackbirds at Sequim, Clallam 28 Oct (SM, BW) was an all-time high for Washington. Washington's 10th

Hooded Oriole and first from fall brightened Kelso, Cowlitz 8-10 Aug (ph. M. Hill); antecedent Washington records have fallen late Apr–late Jul. Additional Hoodeds were at Newport 3 Nov (M. Savage) and Seaside, Clatsop 20 Nov (H. Peterson). A Bullock's Oriole, rare on the outer coast and nearly two months late, was at Neah Bay, Clallam 4 Nov (ph. BW); although there are about 10 winter records for Washington, there are just two from Nov.

Oregon's 12th Brambling was a two-day wonder at Scappoose, Columbia (L. Pierce, ph. GG). Gray-crowned Rosy-Finches, not annual in the westside lowlands, included 2 at Sunset Beach, Island 9 Oct (C. Corin) and one near Sedro Woolley, Skagit 19 Nov (GB). Pine Grosbeaks, very rare in the w. Washington lowlands, included one at Bangor, Kitsap 28 Sep (J. Campbell) and one at Brier, Snohomish 29 Nov (T. Brooks). Cassin's Finches are now being reported regularly in small numbers just w. of the crest of the Washington Cascades, especially in Skagit, but lowland w. Washington records are few, so one at Lyman, Skagit 19 Nov (GB) was noteworthy. Rare w. of the Cascades in Washington, 4 White-winged Crossbills were seen at three locations 2-7 Sep, but a flock of 75 at L. Tapps, Pierce 29 Nov (A. Richards, A. Musche) was utterly unprecedented for the lowlands. Common Redpolls showed signs of irrupting, with a handful of westside reports during Nov.

Initialed observers (subregional editors in boldface): Knute Andersson, Nigel Ball Range Bayer (Lincoln), Gary Bletsch, Trans Bray, Mary Breece, Wilson Cady, Chris Carey, Alan Contreras, Jim Danzenbaker, MerryLynn Denny, Mike Denny, Steve Dougli Dennis Duffy, Shawneen Finnegan (Oregon) Bob Flores, Andy Frank, George Gerdts, Jeff Gilligan, Greg Gillson (Washington, Oregan) pelagics), Denny Grandstrand (Yakima) Adrian Hinkle, Christopher Hinkle, Michael Hobbs, Evan Houston, Jon Isacoff, Jeff Jendro, Stuart Johnston (Hood River, Klicking Skamania), Carol Karlen, Randy Knapp, Terry Little, Peter Low, Roy Lowe, Scott Miles Steven Mlodinow, Don Munson, Russ Namitz, Vic Nelson, Steve Nord, Cathy Nowak Tim O'Brien, Kim Owen, Mike Patterson (Clatsop), Chuck Philo, Phil Pickering, Rosen Robb, W. Douglas Robinson, Tim Rodenkan (Coos, Curry), Ryan Shaw, Bill Shelmerdine Kevin Spencer, Andy Stepniewski, Name Strycker, Paul Sullivan, Barbara Taylor, Shen Thorpe, Dave Trochlell (Union, Wallows) Bill Tweit, Dan Waggoner, Terry J. Wahl. Withgott, Charlie Wright (eBird).

David S. Irons, 2544 N.W. Marshall Street
Portland, Oregon 97210 (Ilsdirons@msn.com
Brad Waggoner, 7865 Fletcher Bay Road N.E.
Bainbridge Island, Washington 98110
(wagtail@sounddsl.com)
Ryan Merrill, 1616 10th Street W
Kirkland, Washington 98033, (rjm284@gmail.com)

Northern California



Jeff N. Davis Ed Pandolfino Stephen C. Rottenborn Michael M. Rogers

ecalling conditions last fall, fog prevailed along the coast through September, keeping numbers of landbird migrants down during the first half of the season. Unlike last fall, though, the pattern broke in early October, with a series of storms that dropped rain across the Region and cleared fog from the immediate coast. Perhaps this change made a difference. By the end of the season, birders had turned up decent numbers of landbirds overall, including good numbers of rare and vagrant warblers. Highlighting the warbler migration was the highest number of Cape May Warblers in a quarter century. In contrast, offshore birders found the abundance of tubenoses to be as low as it had been in decades.

Despite those low numbers, some outstanding rarities were found, including California third White-chinned Petrel and its fourth and fifth Great-winged Petrels. Closer to shore we California's second Common Eider, dently in the same location as the first one sen years earlier. The season's main attraction was California's first Common Ringed Power It lingered for more than a week, was admitted by hundreds of birders from throughout state and beyond, and routinely provided subsyside comparisons with numerous Seminated Plovers. Rounding out the ultraviewere the Region's second Winter Wren and apparent Cave Swallow, the Region's first.

Abbreviations: C.B.R.C. (California BRC) C.V. (Central Valley); F.I. (Southeast Familian, San Francisco); H.R.S. (Hayward R.S. Alberda); PRBO (PRBO Conservation Science (San Francisco, not State Forest). Reports exceptions mentation of C.B.R.C Guy McCa rial Beach

WATERFO An ad. En off Rodeo Legge, Da in the Re Ross's Ge Nov (ph. est count one-year et al.) wa same bird 16 Aug (1 for Sacra c. occiden Commun in a row this part included Nov (AG 13 Nov at Abbo (JGE, m. Nov+ (M at Crowl Steve Bra

about an A ma Amador been the pond an by anoth 4268 No Pigeon I a notabl pair alor an unus were for Oct (†B teo 29 N 581 Red total evi An appa hybrid, messey, Alex M those of Nov (S et al.), land, Al Arthur. Hennes Dec (Al Sunnvy

broods

2md Co

exceptional vagrants submitted without documentation are not published. Documentation of C.B.R.C. review species will be forwarded to Guy McCaskie, Secretary, P. O. Box 275, Imperial Beach, California 91933.

WATERFOWL

An ad. Emperor Goose was seen on the ocean off Rodeo Lagoon, Marin 27 Nov (†William Legge, Dave Wiechers), the first documented in the Region since 2007. Four blue-morph Ross's Geese at Sacramento N.W.R., Glenn 11 Nov (ph. B&CY) provided one of the highest counts of this morph in our notebooks. A one-year old Brant in Benicia 15-22 Aug (RMu et al.) was unexpected in Solano; perhaps the same bird was seen farther inland at Sherman I. 16 Aug (DaW), providing only the 2nd record for Sacramento. Two Dusky Canada Geese (B. c. occidentalis) were found at the Morgan Hill Community Park 9 Oct (SCR), the 3rd year in a row that this subspecies has returned to this part of Santa Clara. Coastal Tundra Swans included one over Santa Cruz, Santa Cruz 1 Nov (AGa), 6 over Struve Slough, Santa Cruz 13 Nov (EFe et al.), and imms. that lingered at Abbotts Lagoon, Marin 31 Oct-25 Nov (JGE, m.ob.) and Pomponio S.B., San Mateo 5 Nov+ (Mark Kudrav, m.ob.). A Bewick's Swan at Crowley L., Mono 23 Nov+ (Ken Wells, ph. Steve Brad) may have been the same bird seen about annually at this location since 2004.

A male Eurasian Wigeon at Goffinet Res., Amador 13-18 Nov (DMr, TS, FS) may have been the same bird seen there and at a nearby pond annually since Mar 2006. It was joined by another male 18 Nov (TS, FS). A total of 4268 Northern Pintail moving southward past Pigeon Pt., San Mateo 16 Oct (RSTh, LBt) was a notably high count for the immediate coast; a pair along White Rock Rd. 9 Nov (DLSu) was an unusual find for Mariposa. Eurasian Teal were found at the Salinas W.T.P., Monterey 16 Oct (†BTM) and at Redwood Shores, San Mateo 29 Nov (a returning bird; RSTh). A tally of 581 Redheads in Alviso 30 Oct was the highest total ever for Santa Clara (MMR, RGJ, MJM). An apparent Ring-necked Duck x Lesser Scaup hybrid, a female, was photographed at L. Hennessey, Napa 29 Nov-2 Dec (ph., †MBe; ph. Alex Merritt). Tufted Duck reports included those of a male at Abbotts Lagoon, Marin 2-7 Nov (STu, Dan Maxwell, Carolyn Longstreth et al.), the returning male at L. Merritt, Oakland, Alameda 7 Nov+ (Kristi Whitfield, Noah Arthur, m.ob.), and 2 different females at L. Hennessey, Napa 19 Nov (MBe) and 23 Nov-2 Dec (Alex Merritt, MBe). Lesser Scaup bred at Sunnyvale, Santa Clara again, with at least two broods detected 31 Aug (WGB). California's 2nd Common Eider, a female, spent 20-29

Nov in Crescent City, Del Norte (ph. ADB, ph. m.ob.), the same location that hosted the first state record, a male, 5-18 Jul 2004. The Coyote Pt., San Mateo Harlequin Duck entered its 10th year at this location 9 Aug+ (RSTh et al.). Several inland Surf Scoters were noted, including 4 at Lewiston L. 3 Nov (Trinity's 7th record; DRs, SRs), one in Redding 12 Nov (Shasta's 9th record; Frank & Darliss Sanderson, Bea Currie, Connie Word et al.), one at Clear L., Lake 21 Nov (FHa et al.), Madera's first at Madera W.T.P. 4 Nov (Chris Hiatt, ph. GaW), one at Grant L., Mono 22 Oct (Susan Steele), and 2 at Grant L., Mono 24 Nov (Steve Brad, Ken Wells). Shasta's 6th White-winged Scoter was found in Redding 27 Nov (Roger Zachary, BiO). Completing Shasta's scoter trifecta, the male Black Scoter continued through the season at Kutras L., Redding (first county record; present since 14 Apr; DMr, m.ob.). Seventeen Long-tailed Ducks were found in six coastal counties 9 Oct+. A Common Merganser at F.I. 18 Nov (OsJ, JTz, ph. Sam Roberts, Elizabeth Ames) was the first ever found on the island. A female Ruddy Duck with 8 ducklings at the Ukiah W.T.P., Mendocino 11 Oct (CEV) was notable both for the location and the very late date.

LOONS THROUGH PELICANS

Two Red-throated Loons at S. Lake Tahoe 27 Nov (WRi) provided only the 2nd occurrence for the Tahoe Basin and for El Dorado. Eagle L., Lassen, our only regular inland stopover site for Pacific Loons in fall migration, hosted 17 Pacifics 8 Oct (KAb, LOr) and 56 on 22 Oct (DMr). Among 14 others inland, Stanislaus's first was at Woodward Res. 30 Nov (SSa, †John Harris); one se. of Tracy 20 Nov (MtB) was San Joaquin's first away from L. Camanche; and 3 at Clear L. 29 Nov (JRW) provided Lake's highest count. Yellow-billed Loons included an apparent ad. at Battery Godfrey, S.F. 14 Oct (HuC. †PSar, †MWE); Santa Clara's first at Sunnyvale 25 Oct-4 Nov, a likely subad. that died on the last date (Pete Dunten, ph. m.ob.); and a juv. in Santa Cruz 10 Nov, Santa Cruz's first (ph., †SGe). Five of 48 reported Red-necked Grebes were inland, including a new high count for Lake of 3 at Clear L. 21 Nov (JCS, FHa).

A juv. or subad. Short-tailed Albatross at F.I. 6 Sep (†OsJ, †JTz et al.) was only the 2nd record for the island—and the first since 1887! In contrast, a juv. at Bodega Canyon, Sonoma 19 Nov (ph. DSg et al.) was in an area that has hosted about 10 recent records. Despite the low abundance of tubenoses this fall, four Pterodroma species were recorded in the Region for the first time since 2005, when five species were found. The Region's 2nd Whitechinned Petrel, and the first for Marin, was

near Cordell Bank 16 Oct (ph. TMcG et al.). Great-winged Petrel was reported twice: Santa Cruz's 2nd was on Monterey Bay 26 Aug (ph. Abe Borker, JML et al., ShJ), and San Mateo's first was off Half Moon Bay 17 Sep (Phil Hansbro, †Douglas Koch, ShJ). The Region has only three prior records, all of subspecies gouldi. A Mottled Petrel near Davidson Seamount, Monterey 25 Oct (†JND) and a Cook's Petrel 93 km w. of Rocky Pt., Monterey 27 Sep (JWtg et al.) rounded out our reports of gadfly petrels. Marin's 2nd Streaked Shearwater was 76 km w. of Pt. Reyes 27 Sep (p.a.; †Jeff Gilligan et al.). Two Manx Shearwaters were found, one on Monterey Bay, Monterey 11 Sep (ph. BLS et al., ShJ) and one at F.I. 16 Nov (†OsJ). Seventeen Wilson's Storm-Petrels on 10 offshore trips included Humboldt's 3rd off Trinidad 27 Aug (†TKz, †RbF et al.); that same trip produced high Humboldt counts of 15 Fork-tailed and 70 Leach's Storm-Petrels. An Ashy Storm-Petrel attracted to the lights of a night football game at Stanford University 1 Oct (MMR, Alma Rogers) furnished Santa Clara with its 2nd record.

Red-billed Tropicbird is not recorded annually in the Region, but one was in Monterey Bay 75 km sw. of Sand Hill Bluff, Santa Cruz 27 Sep (ph. Owen Schmidt et al.). Brandt's Cormorants continued nesting at Seacliff S.B., Santa Cruz through 3 Oct, when one nest was fledging young and five others had incubating ads.; however, no nesting activity was seen on subsequent visits (DLSu). Single ad. Brown Boobies were recorded at Sutro Baths, S.F. 1 Aug (ph. DMo et al.), on F.I. 5-10 Aug (ph. Adam Fox), on Monterey Bay, Santa Cruz 9 Sep (Wes Fritz, ShJ, ph. RF et al.), and at Seacliff S.B., Santa Cruz 17 Sep (DLSu); it is possible that some of these occurrences represented repeat observations of the same individual. A booby at the s. jetty of Humboldt Bay, Humboldt 5 Aug (fide TWL) was likely an ad. Brown Booby as well. At least 7 juv. Brown Pelicans inland included Lake's 2nd at Clear L. 9-23 Aug (JRW et al.); Yolo's 2nd in West Sacramento 24 Aug+ (Cliff Feldheim, Dan Airola) and 3rd in Woodland 3 Sep+ (TEa); and Stanislaus's 5th on W. Gaffery Rd. 14 Oct (ph. MtB).

BITTERNS THROUGH CRANES

The only Least Bittern reported was near Alpaugh, *Tulare* 21 Sep (SAL). Few coastal Cattle Egrets were noted, with a single bird in *Contra Costa* 25 Sep followed by 5 in three other coastal counties 1-19 Nov. In contrast, large numbers of White-faced Ibis were reported in nearly all coastal and S.F. Bay counties from *Humboldt* to *Monterey* 21 Aug+. An inland ibis at L. McClure 29 Sep (DLSu) was notable for *Mariposa*. Broad-winged Hawks were noted in

large numbers over Hawk Hill, Marin, with 202 counted 17 Sep-28 Oct, including a high of 38 seen 26 Sep (G.G.R.O.). Away from Hawk Hill, one at Bear R. Ridge 7 Oct (DCo, †LTu) was notable for Humboldt; 16 more were reported in seven other coastal counties 23 Sep-7 Nov. The count of Swainson's Hawks passing Hawk Hill was likewise impressive, with 13 tallied 23 Sep-4 Dec, half coming after mid-Nov (G.G.R.O.). Harlan's Hawks included birds near Ft. Dick, Del Norte 25 Nov (ph. RCP, Bruce Mast), returning to Arcata, Humboldt 10 Nov+ (DCo, TKz, m.ob.), at the Jacoby Cr. mouth, Humboldt 27 Nov (RbF), near Jenner, Sonoma 26 Oct (ScC, RoM), and 12 km sw. of Madera, Madera 7 Nov (ph. GaW). The Crested Caracara continued through the season near Ft. Dick, Del Norte (ADB, m.ob.). Early returning Merlins included singles in Santa Cruz 23 (Nanci Adams et al.) & 31 Aug (DLSu) and one in Mendocino 29 Aug (KHv). A young Gyrfalcon visited Humboldt, with sightings at s. Arcata Bottoms 26 Sep and 26 Oct (†KI) and at the Redwood Cr. mouth 29 Sep-2 Oct (p.a.; †KI, †TWL, †DCo, LTu, RHw), providing the earliest fall record for the state. The Heron's Head Park Clapper Rails, now present for over a year, were seen with 2 chicks 8-14 Aug (DMo, ph. MWE, m.ob.), supplying S.F. with its first breeding record. Migrant flocks of Sandhill Cranes in unexpected locations included 5 birds over Eureka, Humboldt 30 Sep (COg), 7 over Lighthouse Field S.B., Santa Cruz 25 Oct (MSc), 10 over Halls Valley, Santa Clara 7 Oct (ph. Owen Holt), and 8 along La Paloma Rd., Mariposa 30 Sep (ph. DLSu).

SHOREBIRDS

A notable 15 American Golden-Plovers were reported from 11 counties 16 Aug-15 Nov, but only four reports were accompanied by documentation. Inland reports included those of juvs. near Hanford, Kings 10 Sep (ph. MSy, SDS, JSy), at the Modesto W.T.P., Stanislaus 9 Oct (ERC, †HMR), in Woodland, Yolo 4-6 Nov (ph. TEa, JCS), and at the Fresno W.T.P. 15 Nov (Fresno's 2nd record; ph. MtB, ph. GaW). California's first Common Ringed Plover, a wellmarked ad., was enjoyed by hundreds at the Davis Wetlands, Yolo 19-26 Aug (ph. TEa, ph. m.ob.); it was last seen flying southward at the nearby Yolo Bypass W.A. late on 26 Aug (TEa). A Mountain Plover reached the coast at the Pajaro R. mouth, Santa Cruz 17 Oct (CRE); although not far from regular wintering areas in Solano, 26 at Sherman I. 10 Nov (DaW) were the first found in Sacramento since 2002. An out-of-place American Avocet visited Sequoia L., Fresno (1637 m elevation) 4 Sep (GWPo). Twenty-one Solitary Sandpipers reported from 11 counties included late single birds in Merced, at San Luis N.W.R. 28 Oct (MP) and at Merced N.W.R. 5 Nov (MDo, Eric Goodill, SSa). A Wandering Tattler along the Napa R. at American Canyon 4 Sep (ph., †MBe, Dave McMullen) was the first ever for Napa. A Ruddy Turnstone was far inland near Alpaugh, Tulare 9 Sep (SAL). A Black Turnstone at Mono L. 2 Sep (KNN, ph. Ann Greiner) provided the first confirmed record for Mono.

Inland Red Knots were at Lemoore, Kings 6 (MSy) & 10 Sep (5 juvs.; GaW). Sanderlings far inland included one in Surprise Valley, Modoc 29 Aug (JSL) and 4 Sep (SCR), as well as somewhat more expected birds in Madera (2; ph. GaW), Kings (4; MSy), and Tulare (one; SAL). Two juv. Western Sandpipers along White Rock Rd. 29 Sep (†DLSu) provided only the 2nd record for Mariposa. On the heels of last season's 2 birds, 2 more Little Stints, the 9th and 10th for the Region, were found in Humboldt. An alternate-plumaged ad. was seen 15-16 Aug at the Eel R. mouth (†DCo, RHw, TWL) and a different ad. was studied at the Mad R. estuary 21 Aug (TKz, †DCo, †RbF, RHw). Baird's Sandpipers were widely reported, with large concentrations of 31 at Mare I. 8 Sep (Solano's highest count; RMu), 20 at Centerville, Humboldt 7 Sep (TEa et al.), and 20 at Mono L., Mono 9 Sep (CHw). Pectoral Sandpipers were likewise widely reported; notable were Mariposa's first along Merced Falls Rd. 16 Sep (†DLSu) and a late straggler at Merced N.W.R., Merced 27 Nov (Tom & Jo Heindel, Darrin Heindel, Kelli Heindel-Levinson). Five Sharp-tailed Sandpipers made for an above-average showing, with juvs. at Centerville, Humboldt 7-8 Sep (TEa, DCo, m.ob.), Shollenberger Park, Sonoma 4-19 Oct (2 birds 10-11 Oct; Corey Gregory, Eugene Hunn, m.ob.), Pt. Reyes, Marin 5 Sep (Rich Cimino), and Alameda N.W.R., S.F. and Alameda 12 Oct (JSL, LRF). Fourteen Stilt Sandpipers in nine counties 11 Aug-27 Oct was above average; Mendocino's first inland record was at the Ukiah W.T.P. 7-13 Sep (CEV, ph. RJK et al.) and Madera's 2nd was at the Madera W.T.P. 25-27 Oct (BBr, LyH, PFa, ph. GaW, m.ob.). Eight Buff-breasted Sandpipers included up to 4 in Centerville, Humboldt 7-11 Sep (TEa, m.ob.); the others were at L. Talowa, Del Norte 28 Aug-8 Sep (LuB), at Lincoln W.T.P. 29-31 Aug (first Placer and 2nd C.V. record; DCa, EP, DeR, ph. JCS, ph. BWb, m.ob.), at Abbotts Lagoon, Marin 3-4 Sep (CCo, m.ob.), and at Napa-Sonoma Marshes W.A. 25 Sep-3 Oct (first Solano record; ph. RMu). Nineteen Ruffs in nine counties 6 Aug+ was the most in the Region since 2007, more than doubling the total from each of the prior three falls. Three Red-necked Phalaropes along Merced Falls Rd. 16 Sep (DLSu) were unusual for Mariposa.

GULLS THROUGH ALCIDS

Thirteen inland Sabine's Gulls, above average for recent years, were found in five counties 21 Aug-18 Oct; they included Lake's first record, of 1-2 juvs. 17-19 Sep (JCS et al.). The Modesto W.T.P. hosted 2 hatch-year Little Gulls, one still in juvenal plumage, 13 Oct (p.a.; †SSa, ph. HMR), providing Stanislauss 2nd record. Marin's Laughing Gull, which has resided at Las Gallinas W.T.P. for more than a year, continued through the period (m.ob.) Only 3 Franklin's Gulls, well below our recent average, were reported, with single first-cycle birds at Lookout, Modoc 2 Sep (SCR), w. of Glenn, Glenn 24 Sep (†CPD, Dennis Vroman Tim Rodenkirk), and s. of Corcoran, Kings 24 Sep (MSy). Several hundred Western Gulls again frequented a waste recycling facility on W. Gaffery Rd. in n. Stanislaus 14 Oct+ (MtB. m.ob.). Two Lesser Black-backed Gulls on Clear L. 21 Nov., one at Redbud Park and the other s. of Lakeport (FHa, BJM, JCS), provided the 3rd and 4th records for Lake. Another was s. of Corcoran, Kings 7 Sep-8 Oct (ph. MSy at al.). Alameda's 3rd Slaty-backed Gull, an ad. was in Fremont 17-29 Nov (ph. Noah Arthur †ADeM et al.).

Least Terns breeding at the Sacramento Regional W.T.P., Sacramento lingered into Aug with one ad. and up to 3 juvs. seen through 12 Aug (ph. CCo et al.). An ad. at the White Slough W.T.P., San Joaquin 7 Aug (WEH JRow) may have been one of the ads. from the Sacramento site. Post-breeding Least Terms around S.F. Bay included 3 at Huichica Creek W.A., Napa 7 Aug (Linda Pittman, TFi, MkM Karen Zumwalt), 3 at Coyote Pt., San Mazer 9-23 Aug (RSTh), and up to 11 in Alviso Santa Clara 3-16 Aug (WGB, MDo, Kelly Dodder), whereas one at the Aptos Cr. mouth, Santa Cruz 21 Aug (DLSu) was a migrant. About 80 Common Terns were coastal, with a high of 30 at Salmon Creek Beach, Sonoma 16 Ser (RPH). Among 46 reported inland, 12 at the Davis W.T.P. 24 Aug (ph. JCS) furnished Yolks highest count, and one at Sherman I. 14 Om (†DaW) provided one of few reports for Sarramento. Arctic Terns away from coastal areas included singles at Davis W.T.P. 24 Aug (first Yolo record; ph. JCS), H.R.S. 13 Sep (RJR). Lake Tahoe, Placer 4 Oct (WRi), and Shollenberger Park, Sonoma 10 Oct (TEa). Seven Amtic Terns at Ocean Beach, S.F. 17 Sep (MWE PSar) provided a high onshore count, and 241 Elegant Terns at Pt. Reyes, Marin 16 Oct 📧 represented a very high number for such a lane date. Two Black Skimmers around Elkhom Slough/Moss Landing, Monterey 11-14 Sep (Greg Meyer, YG) furnished the only report away from S.F. Bay.

Fifteen South Polar Skuas off Half Moon

Bay, S provid the inl and Lo ley hos and 2 also ha 5 & 18 (JSL). 15-19 and 4t was a (ph. J. offsho mon s Half N et al.) (Jeff N is rare San M and 2 (MWa

> DOVE Almos the i Emble with a 15 Se cluded Aug a Birds (ph. 2 JTz, I and a Oct (near I Schwa the 31 Corco Inexp reside least 6 Sep+

Rad some elevat winte low a ted O m ele tional was r detec near Short Rd. c estab centin a high road :

Bay, San Mateo 15 Oct (TMcK et al., ShJ) provided a high total. Modoc and Lake were the inland jaeger hotspots. On 4 Sep, Middle and Lower Alkali L. in Modoc's Surprise Valley hosted 5 Long-taileds (first county record) and 2 Parasitics (both ph. SCR). Clear L., Lake also had 5 Long-tailed Jaegers, with singles on 5 & 18 Sep (BJM, FHa et al.) and 3 on 15 Sep (JSL). Two juv. Parasitic Jaegers on Clear L. 15-19 Sep (FHa, JSL et al.) provided Lake's 3rd and 4th records. The only other inland jaeger was a Long-tailed s. of Corcoran, Kings 31 Aug (ph. JLD). Of 7 Xantus's Murrelets recorded offshore or at F.I., individuals of the less common subspecies hypoleucus included one off Half Moon Bay, San Mateo 11 Sep (ph. EWP et al.) and 2 near Cordell Bank, Marin 10 Oct (Jeff Miller, Eugene Hunn et al.). This species is rarely seen from shore, so 2 at Pigeon Pt., San Mateo 11 Aug (Jonathon Batkin, RSTh) and 2 at Centerville Beach, Humboldt 15 Oct (MWa, †DCo) were noteworthy.

DOVES THROUGH THRUSHES

Almost every recess of the state has witnessed the invasion of Eurasian Collared-Doves. Emblematic was Yosemite N.P.'s first record with a bird at El Capitan Meadow, Mariposa 15 Sep (DLSu). White-winged Doves included singles at Capitola, Santa Cruz 25-26 Aug and 1 Nov (both DLSu), Solano's first at Birds Landing near Montezuma Hills 17 Nov (ph. Zach Smith), one on F.I. 13 Sep (MtB, JTz, DJM, Elizabeth Ames, Rebecca Green), and another at Arcata, Humboldt 15 Sep-12 Oct (GAB, TKz). A Common Ground-Dove near Antonelli Pond 30 Sep-2 Oct (Christian Schwarz, Adam Searcy, Chris Lay, m.ob.) was the 3rd for Santa Cruz, whereas another s. of Corcoran 2 Oct (MSy) was the 2nd for Kings. Inexplicably, a Greater Roadrunner took up residence in an urban area of Clovis, Fresno, at least 6 km from normally occupied habitat, 19 Sep+ (fide IND).

Radio-tracking studies have shown that some Spotted Owls breeding in mid- to high elevations of the Sierra move downslope in winter. Such birds generally do not drop below about 400 m elevation. Therefore, a Spotted Owl calling in Sanger, Fresno, at about 122 m elevation, 31 Oct (BBr) provided an exceptional record. More exceptional was that this was not the first time this species had been detected in this area. Another bird was heard near this location 5 Dec 1998 (fide BBr). A Short-eared Owl flying s. along White Rock Rd. crossed the county line 10 Oct (†DLSu), establishing a first record for Mariposa. Accenting the Common Poorwill migration was a high count of 8 birds on a 10-km section of road in Watts Valley, Fresno 23 Oct (JND).

Two Black Swifts over La Grange Bridge Trail 6 Oct (†SSa) furnished the 2nd record for Stanislaus. Chimney Swift reports involved those of singles at Ft. Bidwell 4 Sep (Modoc's first; ph., †SCR) and San Bruno Mt., San Mateo 18 Sep (LBt, RSTh) and 2 each at Davis W.T.P. 6 Oct (Yolo's 2nd; †TEa) and F.I. 7 Oct (†Elizabeth Ames, JTz). Estimates of peak numbers of migrant Vaux's Swifts at traditional roost sites included 7200 at Rio Lindo Academy, Sonoma 13-23 Sep (Dave Barry, m.ob.) and 9000 at McNear Brickyard, Marin 27 Sep (Rich Cimino). Representing a large, single-locality count for the Region, an estimated 350 Whitethroated Swifts foraged over Foresta, Mariposa 15 Sep (DLSu). Marin's 2nd record of Broadbilled Hummingbird was established when a female found its way into a mist net in Bolinas 6 Oct (fide RDiG, ph. PRBO). Illustrating the species' remarkable capacity to breed at any season, a female Anna's Hummingbird carried nesting material at Sacramento N.W.R., Glenn 25 Nov (MJM). Single Allen's Hummingbirds captured ne. of Scotts Valley, Santa Cruz 23 Aug (Rita Colwell) and at Lanphere Dunes. Humboldt 17 Sep (fide Brendan Higgins) were unusually late, as was one putative Rufous Hummingbird in Ukiah, Mendocino 22 Oct (CEV). Two other Rufous Hummingbirds at Santa Cruz, Santa Cruz 24 Oct+ (SGe) had apparently settled in for the winter.

Much like last fall, oaks in Lassen produced almost no acorns, apparently prompting nearly all Lewis's Woodpeckers to abandon the county by mid-Sep (KAb). Perhaps some of those made it to Mariposa, where the only sizable numbers were reported, including a high count of 81 along a 3-km stretch of White Rock Rd. 29 Sep (DLSu). Three Acorn Woodpeckers attending a nest with begging young in Yosemite Valley, Mariposa 15 Sep (DLSu) provided an unusual fall breeding record for Yosemite N.P. Fall breeding in this species is generally correlated with low reproductive success in spring and summer and a large annual acorn crop. Single Yellow-bellied Sapsuckers were found in Humboldt, Mendocino, Lake, Sacramento, and Tulare 26 Oct+. Six Red-naped Sapsuckers included presumptive returnees in Mendocino and Lake and newbies in Del Norte, Sonoma, Alameda, and Santa Clara.

A total of 9 Willow Flycatchers at Lost Lake C.P., Fresno 13 Sep (JND) was a high count. We received reports of 5 Least Flycatchers: one in Santa Cruz, 2 in Santa Clara, and 2 on F.I., about half of our recent 10-year average. Providing a first fall record for Yuba, a Gray Flycatcher was at Spenceville W.A. 4 Sep (ClH, JRy, Peggy Macres). A total of 11 transient Black Phoebes on F.I. 3 Nov (PRBO) was a new high count for the island. Curiously, it

was also about one month later than typical high counts of this species there. Seven Eastern Phoebes included *Del Norte's* 2nd at L. Earl 13 Nov (Gary Maschmeyer), 2 on F.I., and singles in *Humboldt*, *Marin*, *San Mateo*, and *Santa Cruz*. *Alameda's* first Vermilion Flycatcher, a first-year male, was in Fremont 30 Oct+ (ph. Cedric Duhalde, ph. m.ob.). *Humboldt* turned up an impressive total of 10 Tropical Kingbirds; the overall total of 23 reported in eight coastal and S.F. Bay Area counties, however, was below our recent 10-year average of 28. Eight Eastern Kingbirds included one inland at Yolo Bypass W.A. 30-31 Aug (*Yolo's* 3rd and first since 1973; Mary Schiedt).

Santa Cruz's 2nd Bell's Vireo sang at Natural Bridges S.B. 18 Sep (†LTu). Birders reported single Plumbeous Vireos at Babel Slough 23 Sep (Yolo's 3rd; TEa), Basalt Campground, Merced 1 Oct (KVV), Ogier Ave. ponds 6 Oct (Santa Clara's 6th; SCR), and along Bull Creek Rd. 20 Oct (Mariposa's first; †DLSu). Our only Blue-headed Vireo was at Shay Park, Humboldt 19 Sep (†DCo, RHw). Establishing the latest fall Island record by 21 days, a Hutton's Vireo made landfall on F.I. 29 Nov (Sam Roberts). Nearly double our recent 10-year average, a total of 8 Philadelphia Vireos was reported: 3 in Humboldt, 2 in Marin, 2 in S.F., and one in San Mateo. In contrast, a total of 7 Red-eyed Vireos (3 in *Humboldt*, 3 in *S.F.*, and one in *San Mateo*) was roughly half our recent 10-year average. A Yellow-green Vireo at Neary Lagoon 16-19 Oct (ph. SGe, JRy, Peggy Macres et al.) provided Santa Cruz's 3rd record, while another on EI. 18 Oct (Elizabeth Ames, †MtB, ph. †Mark Dettling, DJM, Megan Elrod, Pete Warzybok) furnished the 7th record for the island.

The Region's first Cave Swallow was over Mountain View Forebay, Santa Clara 4 Aug (p.a.; ph. Tom Johnson). A Black-capped Chickadee at the Dyerville Overlook on the Eel R., Humboldt 26 Nov (KBu) furnished one of the southernmost records for the state. An apparent Oak Titmouse x Chestnut-backed Chickadee hybrid at Union City, Alameda early Sep-7 Nov (ph. Joanne Smith) was the first of its kind to be reported. In fact, aside from cases of Oak Titmouse hybridizing with the formerly considered conspecific Juniper Titmouse, hybrids of either species are unknown. We received few reports of Red-breasted Nuthatch, and those that were submitted did not suggest any sort of irruption. The Region's 2nd Winter Wren was well documented in a remote portion of C.R.P. 27 Nov (p.a.; v.r., vt., †CCo). Establishing first records for Mendocino and S.F., single Northern Wheatears dropped in at Anchor Bay 2-5 Oct (Pat Kirkpatrick, RGT, ph. R. Kuehn, ph. RJK et al.) and India Basin 28 Oct (p.a.; Jennifer Rycenga,

Brooke McDonald). More than 50 Mountain Bluebirds along Hammonton-Smartville Rd. 26 Nov (DRs, SRs) represented the highest total from *Yuba* in more than a decade, whereas "thousands" in Martis Valley, *Placer* 5 Oct (WRi) constituted an impressively large assembly by any standard.

MIMIDS THROUGH WARBLERS

Two Gray Catbirds were in Humboldt in mid-Sep, one on the n. spit of Humboldt Bay 16-20 Sep (TWL, m.ob.), the other at Orick 18 Sep (KI). Ten Sage Thrashers, right on our average, included 2 in Kings: one at Atwell I. 2 Oct and the other at Reef City 12 Oct (both MSy). Our only Brown Thrasher was on F.I. 29 Aug-12 Sep (PRBO) and was probably the same bird found there in Jul. Red-throated Pipits, all singles, were on F.I. 18-19 Oct (DIM et al.), at Pt. Reyes, Marin 26 Oct (RS), and at Arcata, Humboldt 13 Nov (KI). Santa Clara's 5th and 6th Red-throated Pipits came in quick succession at Sunnyvale W.T.P. 1-7 Nov (ph. MMR, Diane Finke, ph. m.ob.) and 26 Nov-6 Dec (ph. SCR). Humboldt's first well-documented McCown's Longspur was at Arcata 26 Oct-10 Nov (†KI, †DCo, †COg, LTu). Lapland Longspurs were widely reported from coastal counties, but the only inland bird was near Woodland, Yolo 17-23 Nov (SCH). Single Chestnutcollared Longspurs were at H.R.S. 11-15 Oct (RJR), at L. Talowa, Del Norte 14-18 Oct (TKz, ADB), on F.I. 18 Oct (MtB et al.), and at Pt. Reyes, Marin 30 Oct (RS). Snow Buntings were at Pt. Reyes, Marin 6 Nov (p.a.; Pete Myers, Steward Davidson) and near Redwood House Rd., Humboldt 15 Nov (p.a.; ph. M. J. Mazurek, fide SMcA).

The warbler season was rated good to excellent by most coastal subregional editors, with Humboldt the most productive county. Four Ovenbirds were on F.I. between 5 and 30 Sep (PRBO) with our only other Ovenbird in Bolinas, Marin 25 Sep (Renee Cormier). Sixteen Northern Waterthrushes included the latest ever recorded on F.I. 19 Nov (PRBO, fide JTz). All 25 Black-and-white Warblers were in coastal or S.F. Bay Area counties. Prothonotary Warblers were at the Big Sur R. mouth, Monterey 8 Sep (Pat O'Connor), at Capitola, Santa Cruz 24 Sep (DLSu), and at Pescadero Marsh, San Mateo 20 Oct (M. DeFelice, C. Hayward). A total of 48 Tennessee Warblers was well over our average of 30, the 3rd highest total for the past 25 years, and included a rare C.V. record along Putah Cr., Yolo 1-2 Oct (Michael Strom, KvG). We rarely get more than one or 2 Lucy's Warblers reported, so a total of 4 was unusual, and 2 in one spot in S.F. (14 Nov+; Mark Rauzon, Jack Hayden, m.ob.) was particularly surprising. The other Lucy's were at the Big Sur

R. mouth, Monterey 4 Sep (DR) and Natural Bridges S.B., Santa Cruz 9 Oct (SGe, John Garrett, m.ob.). A Virginia's Warbler in Yosemite N.P. at 2000 m elevation 9 Aug (DLSu) furnished one of few records for Mariposa, or for any w. side Sierra county. Other Virginia's Warblers included one on F.I. 12 Sep (PRBO), 2 in Humboldt at Elk R. Wildlife Sanctuary 14-16 Sep (TKz, m.ob.) and Orick 18 Sep (KI), and another at Pt. Reyes, Marin 18 Oct (SSa). A Connecticut Warbler was at Pt. Reyes, Marin 12-13 Sep (SCH), and another was on F.I. 20 Oct (Elizabeth Ames, †Mark Dettling, †MtB), where 60% of the state's records have been found. A Mourning Warblers was at Elk River Wildlife Sanctuary 14-16 Sep (†KMS, †SBT, TWL, †Jesse Sargent, ph. SMcA, m.ob.), Humboldt's 3rd. Our only Hooded Warbler was at Orick, Humboldt 18 Sep (KI).

The only inland American Redstart among the 27 reported was also Mono's only vagrant warbler of the season, at Paradise 18 Sep (DHo). A total of 7 Cape May Warblers was remarkable and matched the highest total reported in the past 25 years. One Cape May was at Pt. Reyes, Marin 11-25 Sep (SBT, m.ob.), singles were in S.F. near L. Merced 14 Sep and Ft. Mason 26 Sep (both DMo et al.), singles were on F.I. 28 Sep (KNN et al.) and 1 Oct (MtB et al.), and singles were in Santa Cruz at Lighthouse Field S.B. 30 Sep and the University of California at Santa Cruz Arboretum 23 Oct (the 4th and 5th for Santa Cruz; ph. Jean Myers and John Garrett, respectively). Northern Parulas were at Arcata, Humboldt 17 Aug (GAB), on the n. spit of Humboldt Bay, Humboldt 16 Sep (TKz, DCo, RHw, GAB), at Rancho Del Oso, Santa Cruz 22 Sep (JRy), at Sue Bierman Park, S.F. 23 Sep-11 Oct (Jack Hayden, m.ob.), and at Capitola, Santa Cruz 4 Oct (DLSu). All 9 Magnolia Warblers were in coastal counties. Mendocino's first welldocumented Bay-breasted Warbler was at Usal Campground 16 Sep (JRW, CEV, KHv). Other Bay-breasteds were on F.I. 16 Sep (JTz, MtB, DJM) and along Tunitas Cr., San Mateo 21 Sep (ADeM). Two other Bay-breasted reports from Humboldt could only be put in the "probable" category. Humboldt hosted 6 of our 14 Blackburnian Warblers and 11 of our impressive total of 60 Chestnut-sided Warblers. Notable among the 61 Blackpoll Warblers was Lake's 2nd at Anderson Marsh 8 Sep (FHa et al.) and a C.V. bird along Putah Cr., Yolo 16 Sep (SCH). Nine Black-throated Blue Warblers was right on our average, with the sole inland bird at Lost Lake Park, Fresno 18 Sep (LyH). Our total of 107 Palm Warblers included a Yellow Palm on F.I. 1-3 Nov (JTz et al., ph. Sam Roberts), only the 2nd documented record of subspecies hypochrysea for the island. In most autumn

seasons, we miss Yellow-throated Warbler atogether, so having 2 in S.F., 5 Sep (ph. HuCl and 13 Sep+ (Jack Hayden, ph. Martijn Verdoes, m.ob.), was astounding. Seven Prairie Warblers was a little under our average of 11. A Black-throated Green Warbler, our only one this season, was a first for Alameda at Coyote Hills R.P. 9-11 Oct (ph. Jerry Ting, JLx, JSL m.ob.). San Mateo produced Canada Warblers at Moss Beach 13-15 Sep (RSTh et al.) and along Gazos Cr. 15 Sep (GrH). Canadas were also on the n. spit of Humboldt Bay, Humboldt 11 Sep (DCo, m.ob.) and at Ft. Dick, Del Norte 30 Sep-1 Oct (ADB).

SPARROWS THROUGH FINCHES

A Green-tailed Towhee at MacKerricher S.P. 23 Sep (David Assmann) marked the 2nd record for coastal Mendocino. American Tree Sparrows were in Arcata, Humboldt 26 Oct (LTu. DCo, RHw), at Pt. Reyes, Marin 2 Nov (STu. DJM), and along Stage Rd., San Mateo 7 Now (RSTh). It was a banner showing for Clavcolored Sparrows, with 95 reports, 50% above average, from 14 counties. Although absent some years, when Black-throated Sparrows make incursions into the Region away from breeding areas, they tend to be widespread. and that was the case this season. We received reports of single birds from nine counties 4 Sep+, Monterey, Plumas (Quincy, well w. of normal breeding range), Santa Cruz, Mariposa Butte, S.F., San Mateo, Yolo (Esparto 21 Oct+; 2nd record; SCH), and Tulare. A Sage Sparrow on Sherman I., Sacramento 7-22 Nov (ph. DaW, m.ob.) was an excellent find for the C.V. floor. A total of 10 Lark Buntings was nearly twice our recent average and included Trinity's first at the Big Flat R. access in Helena 21 Aug (KMS, Greg Gray). A Large-billed Savannah Sparrow (subspecies P. s. rostratus) was at Bolinas, Marin 27 Sep (JsC), and a Nelson's Sparrow was at H.R.S. 25-26 Oct (RJR, Bob Dunn). Among a total of 42 Swamp Sparrows was a bird along Slate Gulch Rd. 9 Nov (†DLSu). providing one of very few records for Mariposa. White-throated Sparrow reports (128) were about 20% above our average. Harris's Sparrows were at Arcata Bottoms, Humboldt 4 Oct (LTu) and Antonelli Pond, Santa Cruz 16-18 Nov (Kathy Kuyper, PDB, ph. m.ob.).

Five of our 7 Summer Tanagers were in S.F. 3 in the City and 2 on F.I. Monterey's 4th or 5th Scarlet Tanager was at El Carmelo Cemetery. Pacific Gove 25-26 Oct (ph. BTM, ph. BHl, ph. S. Lane). A total of 10 Rose-breasted Grosbeaks was well below our average, but Yolo managed to turn up 2: one along Putah Cr. 6 Oct (SCH) and another the next day at Davis, 26 km e of the first (Alison Kent). Although a total of 10 Indigo Buntings was above average, Mon-

fall se Simis on F.I. Field : along 30 Sej ph. m (†MP) first, thoug Surpr fall th Cr. 3 porte with have bird docui at Cle JRW, coast Clara Sep (28 Se Sep ((AJ e vid B Orio Nov

terey I

We re

tings,

ron, Gary (San erly Burt valle Cold Cott vis ((n. (dio, Matt Mar (Sis) Pete Fitz Hun (Sar (Coi ton, en I Hen Hill

Cited in bo

Hur

fers

Rob

terey reported none, an unusual fall absence. We recorded a remarkable 5 Painted Buntings, the highest total in at least the past 25 fall seasons. Mono's first was photographed at Simis Ranch 8-9 Sep (KNN), and others were on F.I. 10-12 Sep (MtB et al.), at Lighthouse Field S.B., Santa Cruz 15-23 Sep (SGe, m.ob.), along Stevens Cr. n. of Hwy. 101, Santa Clara 30 Sep-12 Nov (2nd county record; ph. MMR, ph. m.ob.), and at Asilomar, Monterey 12 Nov (†MP). Five Dickcissels included Mendocino's first, in Manchester 4 Oct (†BBu, †DSi). Although Bobolinks breed off and on in Modoc's Surprise Valley, they are rarely encountered in fall there, so the bird found along New Pine Cr. 3 Sep (SCR) was notable among the 6 reported this season in the Region. Consistent with the overall decline in its population, we have received no more than two Rusty Blackbird reports in any fall since 1994. The one documented report this year was Lake's first at Clear Lake Riviera 23-28 Oct (Vicki Miller, IRW, m.ob.). Ten Orchard Orioles were all in coastal or Bay Area counties, including Santa Clara's 2nd along Stevens Cr. at La Avenida 30 Sep (ph. SCR). Baltimore Orioles were on F.I. 28 Sep (PRBO), at Pacific Grove, Monterey 29 Sep (BTM), at Moss Beach, San Mateo 1 Oct (AI et al.), and at Ft. Mason, S.F. 8 Nov (David Bell, ph. Bob Gunderson). Our lone Scott's Oriole was also in S.F. in Corona Heights 6-7 Nov (Mark David Herr, DMo, m.ob.).

Cited observers (county subregional editors in boldface): Ken Able (Lassen), Alan D. Barron, Leonie Batkin, Murray Berner (Napa), Gary A. Bloomfield, William G. Bousman (Santa Clara), Matt Brady (Stanislaus), Beverly Brock, Phil D. Brown, Lucas Brug, Ken Burton, Eric R. Caine, Scott Carey, Dennis Cavallo, George E. Chaniot, Josiah Clark, Daryl Coldren, Chris Conard (Sacramento), Hugh Cotter, Rudy Darling (Nevada), Jeff N. Davis (Madera), Al DeMartini, Bruce E. Deuel (n. C.V. counties), Ann Dewart, Ryan DiGaudio, Colin P. Dillingham (Plumas and Sierra), Matthew Dodder, Jon L. Dunn, Todd Easterla, Mark W. Eaton (San Francisco), Ray Ekstrom (Siskiyou), Jules G. Evens, Carleton R. Eyster, Peter Fahey, Leora Feeney, Eric Feuss, Tim Fitzer, Rick Fournier (RF), Rob Fowler (RbF; Humboldt), Alexander Gaguine, Steve Gerow (Santa Cruz), Yohn Gideon, Steve A. Glover (Contra Costa), Kevin Guse, Steve C. Hampton, W. Edward Harper, Garth Harwood, Karen Havlena, Cliff Hawley, Floyd Hayes, Lynn Hemink, R. Phil Henderson, Rob Hewitt, Bill Hill, Debbie House, Chris Howard, John E. Hunter (Trinity), Ken Irwin, Richard G. Jeffers, Oscar Johnson, Shearwater Journeys, Robert J. Keiffer (Mendocino), Tony Kurz, Jeri M. Langham, Stephen A. Laymon, Robin L. C. Leong (Solano), Tom W. Leskiw, Jim Lomax, John S. Luther, Michael J. Mammoser, Roger Marlowe, Don Marsh, Mark Martucci, Blake T. Matheson, Dan J. Maxwell, Sean McAllister. Todd McGrath, Bryan J. McIntosh, Tristan McKee, Peter J. Metropulos (San Mateo), Joseph Morlan, Dominik Mosur, Roger Muskat, Kristie N. Nelson (Mono), Golden Gate Raptor Observatory (G.G.R.O.), Chet Ogan, Bill Oliver, Frances Oliver (San Joaquin), Lew Oring, Ed Pandolfino (Placer), Michael Perrone, Jeff Poklen, Gary W. Potter (Fresno), Robert C. Power, Eric Preston, Harold M. Reeve, Will Richardson, Robert J. Richmond (Alameda), Don Roberson (Monterey), Michael M. Rogers, Diane Rose, Steve Rose, Deren Ross, Stephen C. Rottenborn, James Rowoth, Ruth A. Rudesill (Sonoma), Jennifer Rycenga, Salvatore Salerno, Paul Saraceni, Michelle Scott, Adam Searcy (Marin), Jeff Seay (Kings), Dan Singer, Keith M. Slauson, Mark Stacy, Rich Stallcup, John C. Sterling (Modoc, Alpine, Calaveras, and Yolo), Fritz Steurer, Tim Steurer (El Dorado and Amador), David L. Suddjian (Santa Cruz and Mariposa), Brian L. Sullivan, Steven D. Summers (Tulare), Scott B. Terrill, Ronald S. Thorn, Jim Tietz (F.I.), Dorothy Tobkin, Richard G. Trissel, Leslie Tucci (*Del Norte*), Steve Tucker, Steve Umland (*Tuolumne*), Kent Van Vuren (*Merced* and *San Benito*), Chuck E. Vaughn, Matt Wachs, Bruce Webb, Jerry R. White (*Lake*), Denise S. Wight, Dan Williams, Gary Woods, Bob & Carol Yutzy (*Shasta*). Many more observers are not specifically cited; all are appreciated.

Jeff N. Davis

(Doves to Thrushes) 11238 North Via Trevisio Way, Fresno, California 93730 (jdavis@colibri-ecology.com)

Ed Pandolfino

(Thrashers to Finches) 5530 Delrose Court, Carmichael, California 95608 (erpfromca@aol.com)

Stephen C. Rottenborn

(Loons to Frigatebirds, Larids to Alcids) 983 University Avenue, Building D Los Gatos, California 95032

(srottenborn@harveyecology.com) Michael M. Rogers

(Waterfowl to Quail, Herons to Shorebirds) 499 Novato Avenue, Sunnyvale, California 94086 (m.m.roqers@comcast.net)

Philadelphia: The Cradle of American Ornithology

~ March 27-31, 2013 ~

Location: Philadelphia, Pennsylvania Instructors: Ted Floyd & George Armistead

Join Ted and George for birding and history in Philly.

For more information, or to reserve a spot now, email Nancy at nhawley@aba.org, call (800) 850-2473, x234 or go to aba.org/events

